

# Quad Dimmer Module




## Introduction

The E-Plex® 406QDM series is a 4-channel AC dimmer module capable of handling loads up to 4A per channel max. Module supports configurable dimming speed. Each channel supports configurable dimmed presets and the ability to select channel various effects.

## Key Features

- 4 channels of AC dimming.
- 4 amps max per channel.
- Configurable dimming set points per channel.
- Configurable effects per channel, including full ON, candle and strobe.
- Configurable module dimming speed.
- Available for 24V and 120VAC / 240VAC applications.
- LEN value 3.

## Rear Wiring Diagram




## Status LED Specifications

- 1. ON Indicates module is responding
- 2. OFF Indicates module not responding
- 3. BLINKING Indicates module is responding

## Electrical Specifications

Description	Specifications
Operating Voltage	24VAC or 120/240 VAC
Operating Current (per bus)	4A max

## Dimensional Specifications



## Ordering Information

Description	E-Plex Part Number
406QDM for 24V AC applications	406QDM-01
406QDM for 120/240V AC applications	406QDM-02



52 – 54 Riverside, Sir Thomas Longley Road, Medway City Estate, Rochester, Kent ME2 4DP  
tel: +44 (0)1634 711622 fax: +44 (0)1634 290773

email: [sales@e-plex.co](mailto:sales@e-plex.co)  
web: [www.e-plex.co](http://www.e-plex.co)

Important Notice: E-Plex Ltd. (E-Plex) reserves the right to make changes to or discontinue any product or service identified in this publication without notice. E-Plex advises its customers to obtain the latest version of the relevant information to verify, before placing any orders, that the information being relied upon is current. E-Plex assumes no responsibility for infringement of patents or rights of others based on E-Plex applications assistance or product specifications since E-Plex does not possess full access concerning the use or application of customers' products. E-Plex also assumes no responsibility for customers' product designs.